



轻巧型R倒角刀

R倒角加工

NICECUT

型号 | NK20-05R

产地 | 日本·Fujigen

产品描述

用途 R0.5-R5的小量倒角加工

特点 轻巧型R倒角刀，有小尺寸款Jr（1枚刃），有标准款（3枚刃），都是可实现R0.5-R5小量圆倒角

规格参数

型号	刃数	尺寸 (mm)					
		ϕD	ϕD_s	ϕd	L	ls	ln
NK20-05R	1	25	8.4	20	120	80	40
NK25-05R	1	25	8.4	25	120	80	40

规格参数

加工R	X轴位置 (mm)	Z轴位置 (mm)
R0.5	8.05	4.42
R0.75	7.93	4.55
R1	7.80	4.67
R1.5	7.55	4.92
R2	7.30	5.17
R2.5	7.06	5.42
R3	6.81	5.67
R3.5	6.56	5.91
R4	6.31	6.16
R4.5	6.06	6.41
R5	5.82	6.66

规格参数

型号	刃数	尺寸 (mm)					
		ϕD	ϕD_s	ϕd	L	Is	In
NK20-40R-3	3	56	39.3	20	115	85	30
NK32-40R-3	3	56	39.3	32	115	85	30

规格参数

加工R	X轴位置 (mm)	Z轴位置 (mm)
R0.5	23.54	4.42
R0.75	23.42	4.54
R1	23.29	4.66
R1.5	23.04	4.91
R2	22.79	5.16
R2.5	22.54	5.41
R3	22.29	5.66
R3.5	22.04	5.91
R4	21.78	6.16
R4.5	21.53	6.41
R5	21.28	6.65

规格参数

材质	进刀量 (fz)	切削速度 (m/min)	Jr款 (r.p.m.)	3刃款 (r.p.m.)	切削液	推荐刀片
普通钢	0.1-0.2	100-250	2500	1500	YES	NK2001
合金钢	0.1-0.2	100-250	2500	1500	YES	
淬火钢HRC~45	0.1-0.2	100-250	2500	1500	YES	AC16N
淬火钢HRC45~65	-	-	-	-	-	-
不锈钢	0.1-0.2	150-200	1500	1200	YES	
铸铁	0.1-0.2	100-250	2500	1500	NO	AC16N
树脂	0.1-0.3	150-300	3000	2000	YES	
铝合金	0.1-0.3	150-300	3000	200	YES	NK1010
钛合金镍合金	-	-	-	-	-	-

规格参数

图片	型号	材质类型	使用角数	标准包装		
	N43GXR8	NK2001	8	3pcs/盒 或 12pcs/盒		
	N43GXR8-1R					
	N43GXR8-2R					
	N43GXR8-3R					
	N43GXR8-4R					
	N43GXR8-5R(准)					
	N43GXR	NK1010	4			
	N43GXR8	NK2020	8			
	N43GXR8-1R					
	N43GXR8-2R					
	N43GXR8-3R					
	N43GXR8-4R					
	N43GXR8-0.5R(准)					
	N43GXR8-0.75R(准)					
	N43GXR8-1.5R(准)					
	N43GXR8-2.5R(准)					
	N43GXR8-3.5R(准)					
	N43GXR8-4.5R(准)					
	N43GXR8-5R(准)					
				N43GXR8	AC16N	8
				N43GXR8-1R		
N43GXR8-2R						
N43GXR8-3R						
N43GXR8-4R						
N43GXR8-0.5R(准)						
N43GXR8-0.75R(准)						
N43GXR8-1.5R(准)						
N43GXR8-2.5R(准)						
N43GXR8-3.5R(准)						
N43GXR8-4.5R(准)						
N43GXR8-5R(准)						