



E2000配件（夹头螺帽）

夹头



夹头螺帽




型号 |


产地 | Japan·Nakanishi

规格参数

筒夹	编号	型号	内径mm	兼容型号
	91597	CHK-3.0AA	φ3.0AA※	NR-2351、NR-303、NR-311、RAS-101 ※ 高精度 AA型 (主轴精度2μm以内)
	91598	CHK-3.175AA	φ3.175AA※	
	91599	CHK-4.0AA	φ4.0AA※	
	91600	CHK-6.0AA	φ6.0AA	
	91601	CHK-6.35AA	φ6.35AA	
	91592	CHK-2.35	φ2.35	
	91530	CHK-3.0	φ3.0	
	91593	CHK-3.175	φ3.175	
	91540	CHK-4.0	φ4.0	
	91560	CHK-6.0	φ6.0	
	91596	CHK-6.35	φ6.35	
	CHK-□□		φ0.5、φ0.6、φ0.7、φ0.8、φ0.9	
			φ1.0、φ1.5、φ2.0、φ2.5、φ3.5、φ4.5、φ4.76、φ5.5	
			φ1.1、φ1.2、φ1.3、φ1.4、φ1.7、φ1.8、φ1.9、φ2.1、φ2.2、φ2.3、φ2.4、φ2.6、φ2.7、φ2.8、φ2.9、φ3.1、φ3.2、φ3.3、φ3.4、φ3.6、φ3.7、φ3.8、φ3.9、φ4.1、φ4.2、φ4.3、φ4.4、φ4.6、φ4.7、φ4.8、φ4.9、φ5.1、φ5.2、φ5.3、φ5.4、φ5.6、φ5.7、φ5.8、φ5.9	
			φ1.6、φ5.0	
	90992	CHM-2.35	φ2.35	AMH-301
	90930	CHM-3.0	φ3.0	
	90993	CHM-3.175	φ3.175	
	90916	CHM-1.6	φ1.6	
		CHM-□□	φ1.0、φ2.0	
	90592	CHS-2.35	φ2.35	
	90530	CHS-3.0	φ3.0	
	90593	CHS-3.175	φ3.175	

 内径 23.5 夹头 CHS 系列	90516	CHS-1.6	φ1.6	RA-200	
		CHS-□□	φ0.8、φ0.9		
			φ1.0、φ2.0、φ2.5		
			φ1.1、φ1.2、 φ1.3、φ1.4、 φ1.5、φ1.7、 φ1.8、φ1.9、 φ2.1、φ2.2、 φ2.3、φ2.4、 φ2.6、φ2.7、 φ2.8、φ2.9		
 内径 34.4 夹头 CH8 系列	91092	CH8-2.35	φ2.35	RA-100	
	91030	CH8-3.0	φ3.0		
	91093	CH8-3.175	φ3.175		
		CH8-□□	φ0.8、φ0.9		
			φ1.0、φ1.5、 φ2.0、φ2.5		
			φ1.1、φ1.2、 φ1.3、φ1.4、 φ1.6、φ1.7、 φ1.8、φ1.9、 φ2.1、φ2.2、 φ2.3、φ2.4、 φ2.6、φ2.7、 φ2.8、φ2.9		
 12.5 15.9	2129	K-265	CHK夹头用螺帽		NR-2351、NR-303 NR-311、RAS-101

规格参数

筒夹	编号	型号	内径d (mm)/品名		兼容型号
	2132	DCH-J0K	钻孔专用轴 芯振精度0.05mm以内		NR-2351、NR-303 NR-311、RAS-101
	2146	KCH-02 (5.0)	Φ5.0 (内径)	金属锯片专用筒夹 Φd (内径) × φ30 (外径) mm以下 芯振精度0.02mm以内	RA-100
	1077	KCH-02 (6.0)	Φ6.0 (内径)		
	2147	KCH-02 (8.0)	Φ8.0 (内径)		
	2148	KCH-03 (5.0)	Φ5.0 (内径)	金属锯片专用筒夹 Φd (内径) × φ30 (外径) mm以下 芯振精度0.02mm以内	NR-2351、NR-303 NR-311、RAS-101
	2130	KCH-03 (6.0)	Φ6.0 (内径)		
	2149	KCH-03 (8.0)	Φ8.0 (内径)		
	1029	AGM-01	砂轮夹具 芯振精度0.02mm以内 内径φ5.0mm砂轮用		AMH-301
	2131	AGM-03	研磨砂轮法兰 芯振精度0.02mm以内 内径φ5.0mm砂轮用		NR-2351、NR-303 RAS-101